



# Test request - Water sample for cruise vessels

EBL-0068 / Version 1



Port agency: \_\_\_\_\_ Port agency reference number: \_\_\_\_\_

Port agency contact: \_\_\_\_\_ Port agency contact email: \_\_\_\_\_

Vessel name: \_\_\_\_\_ Location of vessel: \_\_\_\_\_

Sampling bottles required: Yes:  No:  Sampled by Sýni: Yes:  No:

If yes, agent from Sýni ehf. should arrive to take the samples at: Date: \_\_\_\_\_ Time: \_\_\_\_\_

Vessel contact name: \_\_\_\_\_

Vessel contact details: \_\_\_\_\_

Send results to email address: \_\_\_\_\_

| Sample no. | Sampling date and time | Sample labeling as requested in the report: |
|------------|------------------------|---|
| 1          |                        |   |
| 2          |                        |   |
| 3          |                        |   |
| 4          |                        |   |
| 5          |                        |   |

| Requested measurements:                    |   |   |   |   |   |  |
|--|---|---|---|---|---|--|
| Sample no.                                 | 1 | 2 | 3 | 4 | 5 |  |
| Total coliforms                            |   |   |   |   |   |  |
| Thermotolerant coliforms (fecal coliforms) |   |   |   |   |   |  |
| Escherichia coli (E. coli)                 |   |   |   |   |   |  |
| Total plate count 22°C                     |   |   |   |   |   |  |
| Total plate count 37°C                     |   |   |   |   |   |  |
| Enterococci                                |   |   |   |   |   |  |
| Pseudomonas aeruginosa                     |   |   |   |   |   |  |
| Legionella                                 |   |   |   |   |   |  |
| Sulfite reducing bacteria                  |   |   |   |   |   |  |
| Conductivity                               |   |   |   |   |   |  |
| Turbidity                                  |   |   |   |   |   |  |
| pH   |   |   |   |   |   |  |

| Sensory analysis |   |   |   |   |   |  |
|------------------|---|---|---|---|---|--|
| Sample no.       | 1 | 2 | 3 | 4 | 5 |  |
| Color            |   |   |   |   |   |  |
| Odor             |   |   |   |   |   |  |
| Appearance       |   |   |   |   |   |  |

| Heavy metals: (Please list which one) |   |   |   |   |   |  |
|---------------------------------------|---|---|---|---|---|--|
| Sample no.                            | 1 | 2 | 3 | 4 | 5 |  |
|                                       |   |   |   |   |   |  |
|                                       |   |   |   |   |   |  |
|                                       |   |   |   |   |   |  |
|                                       |   |   |   |   |   |  |
|                                       |   |   |   |   |   |  |

| Requested measurements - waste water: |   |   |   |   |   |  |
|---------------------------------------|---|---|---|---|---|--|
| Sample no.                            | 1 | 2 | 3 | 4 | 5 |  |
| Total suspended solids (TSS)          |   |   |   |   |   |  |
| Total oil and grease                  |   |   |   |   |   |  |
| COD                                   |   |   |   |   |   |  |
| BOD5                                  |   |   |   |   |   |  |
| Total Phosphorus (P)                  |   |   |   |   |   |  |
| Total Nitrogen (N)                    |   |   |   |   |   |  |
| Ammoniak (NH <sub>3</sub> )           |   |   |   |   |   |  |
| Free chlorine                         |   |   |   |   |   |  |
| Total chlorine                        |   |   |   |   |   |  |
| Nitrite (NO <sub>2</sub> )            |   |   |   |   |   |  |
| Nitrate (NO <sub>3</sub> )            |   |   |   |   |   |  |

### Report:

Icelandic       English

One report       Report for each sample

### Other:

Signature on behalf of the client

Further information on the accreditation of methods can be found at [www.syni.is](http://www.syni.is)